

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S5	2	sheriff-tayib\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:09
S6	15	khan-moinul\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:22
S7	2	"20040177215".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:26
S13	17	"6606707"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:44
S14	1604	multiple with map\$4 with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:45
S15	0	S14 and (address near5 over\$1load near5 (circuits or unit or logic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:46
S16	1	S14 and (over\$1load near5 (circuits or unit or logic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 08:27
S17	387	S14 and (map\$4 near5 (circuits or unit or logic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:47

EAST Search History

S18	28416	"711"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:48
S19	120	S17 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:48
S20	46019	(processor or (micro\$1processor or micro\$1computer or micro\$1control\$3)) with RAM with ROM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:51
S21	6	S19 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 08:24
S22	58759	(protect\$3 or secur\$3) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 08:25
S23	1605	multiple with map\$4 with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 15:12
S24	240	S22 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 08:25
S25	4	"6606707".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 09:44

EAST Search History

S26	58759	(protect\$3 or secur\$3) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 09:44
S27	1605	multiple with map\$4 with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 09:54
S28	240	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 09:44
S29	48	S28 and over\$1load\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 09:45
S30	51	multiple adj map\$4 with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 09:55
S31	11	S26 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 10:26
S32	28455	"711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 10:27
S33	3532	S26 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 10:27

EAST Search History

S34	88	S27 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:06
S35	46072	(processor or (micro\$1processor or micro\$1computer or micro\$1control\$3)) with RAM with ROM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 10:28
S36	7	S34 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 10:28
S37	3401	trusted with (process\$3 or function or task or thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 14:55
S38	92	S32 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 13:12
S39	7	S38 and ((multiple or multi) with map\$3 with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 14:20
S40	0	multiple\$1map near5 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 14:21
S41	5	multiple\$1map\$3 with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 14:34

EAST Search History

S42	653	((protect\$3 or secure) with memory) and ((un\$1protect\$3 or un\$1secure) with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 14:53
S43	917	map\$4 with ((protect\$3 or secure) with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 14:52
S44	83	S42 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 14:38
S45	37	S37 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 14:38
S46	155	mapping near5 ((protect\$3 or secure) near5 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 14:53
S47	3	mapping near5 ((un\$1protect\$3 or un\$1secure) with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 14:55
S48	8	S46 and (trusted with (process\$3 or function or task or thread))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 15:14
S49	446	multiple near2 map\$4 with (memory or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 15:13

EAST Search History

S50	179	multiple near2 map\$4 near2 (memory or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 15:13
S51	9	S50 and ((trusted or protected or secure) with (process\$3 or function or task or thread))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/14 15:14
S52	28494	"711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/19 07:37
S53	1070	mapping with (second or two or multiple or another or other or next) near2 (memory or page)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/19 08:31
S54	372	S52 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/19 07:39
S55	127	S54 and (protect\$3 or secur\$3 or trust\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/19 08:34
S56	68	S55 and (select\$3 near5 (memory or page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/19 07:41
S57	308	mapping near2 (second or two or multiple or another or other or next) near2 (memory or page)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/19 08:32

EAST Search History

S58	92	mapping adj (second\$3 or two or multiple or another or other or next) near2 (memory or page)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/19 08:33
S59	46	S52 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/19 08:33
S60	19	S59 and (protect\$3 or secur\$3 or trust\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/19 08:35
S61	3747	secure near2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/19 08:36
S62	32	unsecure near2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/19 08:36
S63	28	S61 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/19 08:38
S64	21	S63 and (map\$3 or translat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/19 08:51
S65	0	"multiple memory mapping"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/19 08:52

EAST Search History

S66	1	"multiple memory map"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/19 08:53
S67	129	multiple near2 map\$3 near2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 07:36
S68	28494	"711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 07:23
S69	50	S67 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 07:23
S70	251	multiple near2 map\$3 near2 (memory or page or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 07:25
S71	45	S70 and ((secur\$4 or protect\$3) with (memory or page or cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 07:27
S72	26	S68 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 07:27
S73	8	(control\$3 or manag\$5) with multiple near2 map\$3 near2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 07:37

EAST Search History

S74	9	(control\$4 or manag\$5) with multiple near2 map\$3 near2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 07:44
S75	40806	(secur\$4 or trust\$3 or protect\$3 or private) near5 (memory or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 07:50
S76	176536	(trust\$3 or secur\$3 or authenticat\$3) near5 (process\$3 or thread or function or task or application or code or program or software or routine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 07:53
S77	12094	S75 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 07:54
S78	4467	S77 and (map\$3 or translat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 07:55
S79	120031	select\$3 near5 address\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 07:56
S80	1021	S78 and S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 07:56
S81	177	S68 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:03

EAST Search History

S82	160007	address with (select\$3 or mux\$3 or multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:04
S83	169552	address with (select\$3 or mux\$3 or multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:04
S84	581867	data with (select\$3 or mux\$3 or multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:04
S85	105847	S83 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:05
S86	124	S81 and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:31
S87	28494	"711"/\$.ccds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:31
S88	40806	(secur\$4 or trust\$3 or protect\$3 or private) near5 (memory or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:31
S89	176536	(trust\$3 or secur\$3 or authenticat\$3) near5 (process\$3 or thread or function or task or application or code or program or software or routine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:31

EAST Search History

S90	12094	S88 and S89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:31
S91	4467	S90 and (map\$3 or translat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:31
S92	120031	select\$3 near5 address\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:31
S93	1021	S91 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:31
S94	177	S87 and S93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:31
S95	169552	address with (select\$3 or mux\$3 or multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:31
S96	581867	data with (select\$3 or mux\$3 or multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:31
S97	105847	S95 and S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:31

EAST Search History

S98	124	S94 and S97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:31
-----	-----	-------------	---	----	----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	103555	(secur\$4 or trust\$3 or protect\$3 or private or authenticat\$3) near5 (memory or cache or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:43
S2	355327	(secur\$4 or trust\$3 or protect\$3 or private or authenticat\$3) near5 (process\$3 or thread or function. or task or application or code or program or software or routine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:44
S3	34508	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:44
S4	10704	S3 and (map\$3 or translat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:45
S5	2954	S4 and (address with (select\$3 or mux\$3 or multiplexer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:47
S6	2278	S5 and (data with (select\$3 or mux\$3 or multiplexer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:48
S7	28494	"711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:48
S8	546	S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 08:48

EAST Search History

S9	576	address with over\$1load\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:49
S10	1	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:49
S11	4	S6 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:53
S12	1240	trusted near2 (processor or computer or host or micro\$1processor or micr\$1computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:55
S13	2	S9 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:55
S14	262529	(control\$3 or manag\$5) near2 (memory or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:56
S15	1659	S6 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:56
S16	483	S7 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:57

EAST Search History

S17	47653	(transfer near5 agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:57
S18	1	S16 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 08:58
S19	39	S15 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 09:04
S21	100498	"711"/(? ,101-105,170,173,20?, 21?).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 09:07
S22	219	S16 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 09:14
S23	746	multiple near5 map\$3 near5 (memory or cache or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 09:15
S24	22	S16 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 09:20
S25	24204	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 09:22

EAST Search History

S26	166	S15 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 09:23
S27	46	S26 and (wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 10:13
S28	0	tayib-sheriff\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 10:13
S29	2	sheriff-tayib\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 10:18
S30	0	khan-moinul\$b\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 10:15
S31	15	khan-moinul\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/20 10:15